```
* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *

 NEWS  1           Web Page for STN Seminar Schedule - N. America
 NEWS  2  DEC 01   ChemPort single article sales feature unavailable
 NEWS  3  JAN 06   The retention policy for unread STNmail messages
                   will change in 2009 for STN-Columbus and STN-Tokyo
 NEWS  4  JAN 07   WPIDS, WPINDEX, and WPIX enhanced Japanese Patent
                   Classification Data
 NEWS  5  FEB 02   Simultaneous left and right truncation (SLART) added
                   for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
 NEWS  6  FEB 02   GENBANK enhanced with SET PLURALS and SET SPELLING
 NEWS  7  FEB 06   Patent sequence location (PSL) data added to USGENE
 NEWS  8  FEB 10   COMPENDEX reloaded and enhanced
 NEWS  9  FEB 11   WTEXTILES reloaded and enhanced
 NEWS 10  FEB 19   New patent-examiner citations in 300,000 CA/CAplus
                   patent records provide insights into related prior
                   art
 NEWS 11  FEB 19   Increase the precision of your patent queries -- use
                   terms from the IPC Thesaurus, Version 2009.01
 NEWS 12  FEB 23   Several formats for image display and print options
                   discontinued in USPATFULL and USPAT2
 NEWS 13  FEB 23   MEDLINE now offers more precise author group fields
                   and 2009 MeSH terms
 NEWS 14  FEB 23   TOXCENTER updates mirror those of MEDLINE - more
                   precise author group fields and 2009 MeSH terms
 NEWS 15  FEB 23   Three million new patent records blast AEROSPACE into
                   STN patent clusters
 NEWS 16  FEB 25   USGENE enhanced with patent family and legal status
                   display data from INPADOCDB
 NEWS 17  MAR 06   INPADOCDB and INPAFAMDB enhanced with new display
                   formats
 NEWS 18  MAR 11   EPFULL backfile enhanced with additional full-text
                   applications and grants
 NEWS 19  MAR 11   ESBIOBASE reloaded and enhanced
 NEWS 20  MAR 20   CAS databases on STN enhanced with new super role
                   for nanomaterial substances
 NEWS 21  MAR 23   CA/CAplus enhanced with more than 250,000 patent
                   equivalents from China
 NEWS 22  MAR 30   IMSPATENTS reloaded and enhanced
 NEWS 23  APR 03   CAS coverage of exemplified prophetic substances
                   enhanced
 NEWS 24  APR 07   STN is raising the limits on saved answers

 NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
              AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

 NEWS HOURS    STN Operating Hours Plus Help Desk Availability
 NEWS LOGIN    Welcome Banner and News Items
 NEWS IPC8     For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

  All use of STN is subject to the provisions of the STN customer
  agreement.  This agreement limits use to scientific research.  Use
  for software development or design, implementation of commercial
  gateways, or use of CAS and STN data in the building of commercial
  products is prohibited and may result in loss of user privileges
  and other penalties.

* * * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 13:44:55 ON 22 APR 2009
```

```
=> file casreact
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                         ENTRY    SESSION
FULL ESTIMATED COST                                       0.22       0.22

FILE 'CASREACT' ENTERED AT 13:45:33 ON 22 APR 2009
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 Apr 2009 VOL 150 ISS 17

New CAS Information Use Policies, enter HELP USAGETERMS for details.

************************************************************
*                                                          *
*     CASREACT now has more than 16.5 million reactions    *
*                                                          *
************************************************************

CASREACT contains reactions from CAS and from: ZIC/VINITI database
(1974-1999) provided by InfoChem; INPI data prior to 1986;
Biotransformations database compiled under the direction of
Professor Dr. Klaus Kieslich; organic reactions, portions copyright
1996-2006 John Wiley & Sons, Ltd., John Wiley and Sons, Inc.,
Organic Reactions Inc., and Organic Syntheses Inc. Reproduced under
license. All Rights Reserved.

This file contains CAS Registry Numbers for easy and accurate substance
identification.

=>
Uploading C:\Program Files\Stnexp\Queries\10577374-2.str

L1      STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1              STR
```







Structure attributes must be viewed using STN Express query preparation.

```
=> s l1
SAMPLE SEARCH INITIATED 13:46:28 FILE 'CASREACT'
SCREENING COMPLETE -       52 REACTIONS TO VERIFY FROM       16 DOCUMENTS

100.0% DONE      52 VERIFIED       0 HIT RXNS                          0 DOCS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED VERIFICATIONS:       608 TO     1472
PROJECTED ANSWERS:               0 TO        0

L2            0 SEA SSS SAM L1 (     0 REACTIONS)

=> s l1 full
FULL SEARCH INITIATED 13:46:32 FILE 'CASREACT'
SCREENING COMPLETE -     2153 REACTIONS TO VERIFY FROM      295 DOCUMENTS

100.0% DONE    2153 VERIFIED       3 HIT RXNS                          2 DOCS
SEARCH TIME: 00.00.01

L3            2 SEA SSS FUL L1 (     3 REACTIONS)

=> d l3 ibib abs hit 1-
YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y


L3   ANSWER 1 OF 2  CASREACT  COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER:        146:402223  CASREACT
TITLE:                   Improved industrial syntheses of penciclovir and
                         famciclovir using N2-acetyl-7-benzylguanine and a
                         cyclic side chain precursor
```

AUTHOR(S): Torii, Takayoshi; Yamashita, Keizo; Kojima, Mitsuhiko; Suzuki, Yumiko; Hijiya, Toyoto; Izawa, Kunisuke
CORPORATE SOURCE: AminoScience Laboratories, Ajinomoto Co., Inc., Kawasaki-ku, Kawasaki, Japan
SOURCE: Nucleosides, Nucleotides & Nucleic Acids (2006), 25(4-6), 625-634
CODEN: NNNAFY; ISSN: 1525-7770
PUBLISHER: Taylor & Francis, Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English
GI



I



II

AB A practical synthetic methods for penciclovir (PCV) I and famciclovir (FCV) II via regioselective coupling reaction of N2-acetyl-7-benzylguanine (NAc7BnG) and 6,6-dimethyl-5,7-dioxaspiro[2.5]octane-4,8-dione, followed by debenzylation, is described.
REFERENCE COUNT: 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

RX(6) OF 24 ...Q + 2 P ===> A...



Q 2 P



A
YIELD 95%

RX(6)

STAGE(1)
RGT T 7719-09-7 SOCl2
SOL 67-56-1 MeOH
CON SUBSTAGE(1) 0 deg C
SUBSTAGE(2) 0 deg C -> room temperature

STAGE(2)
RCT Q 234110-22-6, P 67-56-1
CON SUBSTAGE(1) 3.5 hours, 40 deg C
SUBSTAGE(2) 22.5 hours, 45 deg C
SUBSTAGE(3) cooled

STAGE(3)
RGT N 1310-73-2 NaOH
SOL 7732-18-5 Water
CON cooled, neutralized

PRO A 234110-23-7

RX(14) OF 24 COMPOSED OF RX(6), RX(7)
RX(14) Q + 2 P ===> U



Q

2 P

2 STEPS



U
YIELD 70%

RX(6)

STAGE(1)
RGT T 7719-09-7 SOCl2
SOL 67-56-1 MeOH
CON SUBSTAGE(1) 0 deg C
SUBSTAGE(2) 0 deg C -> room temperature

STAGE(2)
RCT Q 234110-22-6, P 67-56-1
CON SUBSTAGE(1) 3.5 hours, 40 deg C
SUBSTAGE(2) 22.5 hours, 45 deg C
SUBSTAGE(3) cooled

STAGE(3)
RGT N 1310-73-2 NaOH
SOL 7732-18-5 Water
CON cooled, neutralized

PRO A 234110-23-7

RX(7) RCT A 234110-23-7

STAGE(1)
RGT V 56-34-8 Et4N Cl, W 10025-87-3 POCl3, X 121-69-7 PhNMe2
SOL 75-05-8 MeCN
CON SUBSTAGE(1) 1 hour, 80 deg C
SUBSTAGE(2) 80 deg C -> 0 deg C

STAGE(2)
RGT N 1310-73-2 NaOH
SOL 7732-18-5 Water
CON 0 deg C

PRO U 172529-93-0

L3 ANSWER 2 OF 2 CASREACT COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 43:13117 CASREACT
TITLE: Physical properties and chemical constitution. XVI. Ethylenic compounds
AUTHOR(S): Jeffery, Geo. H.; Vogel, Arthur I.
SOURCE: Journal of the Chemical Society (1948) 658-73
CODEN: JCSOA9; ISSN: 0368-1769
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable
AB New measurements are presented of the parachors and refractivities at

20° for esters of vinylacetic, hendecenoic, and allylmalonic acid, for unsatd. aliphatic hydrocarbons, and for allyl esters of aliphatic monobasic acids and of succinic acid. Data for the following addnl. esters were included in the study: H, Me, Et, Pr, Bu, Am vinylacetates; Me, Et, Pr, Bu hendecenoates; Me, Et, Pr, Bu allylmalonates; AcOC3H5, EtCO2C3H5, PrCO2C3H5, (CH2CO2C3H5)2; di-Me, di-Et, di-Pr, di-Bu, di-Am, diiso-Am (cis-trans) maleates; di-Et, di-Pr, di-Bu, diiso-Bu, di-Am, di-iso-Am (cis-trans) fumarates; di-Me, di-Et, di-Pr (cis-trans) citraconates; (cis-trans) di-Me, di-Et, di-Pr mesaconates; Me, Et, Pr, Bu, Am, iso-Am (trans) crotonates; and Et, Pr, Bu cinnamates. Likewise the following unsatd. hydrocarbons: C5H10, C6H12, C8H16, C10H20, C12H24, C14H28, C16H30. The contributions of the C:C was computed from the general relationship |= = CR1R2:CR3R4 + 2H → CHR1R2CHR3R4, employing the values for 2H from part IX (cf. C.A. 40, 3390.6) and the appropriate saturated compds. found in previous papers of this series. These lead to the following mean values: P 19.9, RC 1.545, RD 1.575, RF 1.672, RG' 1.720, Mn20D -6.07. These consts. differ considerably from those previously accepted. The measurements made upon alkyl maleates, fumarates, citraconates, mesaconates, methylsuccinates, trans-crotonates, and cinnamates were generally higher than the above mean values because of conjugation. While the parachor contributions appeared to be fairly constant, the cis isomers gave lower values for the refractivities than the corresponding trans isomers.

RX(1) OF 1 A + 2 B ===> C



A 2 B C
YIELD 67%

RX(1) RCT A 2583-25-7, B 67-56-1
PRO C 40637-56-7
SOL 71-43-2 Benzene, 7664-93-9 H2SO4
NTE Classification: Esterification; Alkoxylation; # Conditions: MeOH; benzene H2SO4; Rf 21h; # Comments: numerous examples